

PRODUCT CATALOGUENO.23

FOR DENTAL PRACTICE & LABORATORY

Innovation aus Tradition

What does our company slogan actually mean in concrete terms?

You may have asked yourself this at some point if you are one of our many long-standing partners.

It means that we offer orientation in all matters of dental technology. With over 70 years of expertise and our origins as a dental laboratory, we know what we are talking about. Our focus is always on the users in the laboratory and practice. We do not develop products for their own sake, but only if they offer added value. Our extensive knowledge of conventional dental technology is the indispensable and fruitful basis for the development of our digital products.

It means that we want to be taken at our word. The satisfaction of our customers is our claim. That is why our contact does not end with the purchase of one of our products: It starts there. Our experts for dental materials and equipment will support you on your personal way to the laboratory of the future and will be there for you in word and deed.

It means that although we are a traditional company, we are by no means "yesterday's news". Anyone who has been in the dental world for decades, as we have, has a different understanding of reliability, responsibility and communication. These values distinguish us as a family business. And we are convinced that both sides benefit most from a trusting, lasting business relationship.

We would like to take this opportunity to thank you – our customers – for living our motto "Innovation by Tradition" and for looking to the future with optimism despite all the crises.



Yours sincerely

Dr. med. dent. Volker Dreve





Guarantee

When manufacturing our products, our staff uses selected materials fulfilling the highest technical requirements. Most careful processing guarantees, in addition to our years of experience, an excellent quality level. Our product systems - which means units, materials and appliances – are perfectly matched, as they are tested and developed in our laboratories every day. Due to the years of experience we are able to guarantee a minimum durability of 2 years from date of production on most of our materials. Of course, we are at your disposal after the acquisition of a product.

Service

A full range of additional services belongs to our performance. Professionally educated dental technicians are at your disposal on our hotline to answer your questions about our products. High-ranking experts from Germany and abroad introduce you to our product systems by means of training courses and seminars. Practical training in our education rooms assumes an important place in the further education programme of Dreve Dentamid GmbH. Information about current presentations can be required on dentamid.dreve.de.

Quality

The quality standard of Dreve products, of course, follows the current level of science. Dreve Dentamid GmbH is certified according to DIN EN ISO 9001, DIN EN ISO 13485 and Directive 93/42/EWG, Annex II. Security for patients, dental technicians and dentists by use of biocompatible products is Dreve's main focus.

Dreve Dentamid GmbH Max-Planck-Straße 31 59423 Unna/Germany

Phone	+49 2303 8807-37
Fax	+49 2303 8807-55
Email	dentamid@dreve.de
Internet	dentamid.dreve.de

Legend

numbers in mind easily.

Ŵ	Hardness, compressive strength, compressive hardness	A	Consistency
.	Viscosity		Layer thickn
	Processing time	•	Period inside
\bigcirc	Final curing		Recovery fro
Ж.	Shrinkage		Tensile stren
× ^ ^	Elastic modulus	×.	Flexural stre
4	Voltage, Operating voltage charger	•	Power consu
<u>Ø</u>	Pressure, Vacuum		Temperature
\Leftrightarrow	Dimensions (H x W x D mm)	Â	Weight
\bigcirc	Usable blank	€	Inner dimen -chamber (H
	TPO free		

Application tips from our experts



You may already have noticed yourself: We recognize contents of pictures a lot faster than of texts. 60 times faster, to be precise. You will find many icons in this catalogue, so you can keep facts and

,		Color
ness	Ø	Mixing time
e mouth		Deflasking after
om deformation	×))	Deformation under pressure
nth		Tear resistance
ength		Tensile-, Break-, Bending strength
umption		Polymerisation peak
e range		Filling capacity

nsions pressure pot, HxWxDmm)

(-)

Time programs, time cycle

Innovative products from tradition

In perfect shape for you

Impression silicones

Silicone products are one of our core competences. Innovative and economical at the same time: We make this claim to ourselves and our products alike. This is made possible with high-quality raw materials, qualified employees and certified manufacturing processes.

From the transparent impression silicone to the scannable bite registration - our strict quality standards guarantee the consistently high quality that is essential for your daily work.



Almost too good to serve as gap filler only

Temporary C&B materials

Fixtemp C&B materials offer outstanding technical values and convince by a setting temperature which is not damaging the dental pulp. They are easy to apply, very precise and reach the soft-elastic phase after just 90 seconds.

Thanks to improved physical properties, the fabrication of temporary crowns and bridges as well as inlays and onlays is simplified and the highest accuracy of fit is guaranteed.



Dreve sets standards

3D printing

Leading in detail precision in 3D printing resin manufacturing: With the FotoDent® product world, you benefit from our longstanding expertise with many innovations in medical 3D printing. Perfectly matched systems meet your requirements in CAD/CAM application, enabling you to obtain better results, more precise and longer lasting.

And if you prefer to have it printed: Print@Dreve is your convenient order portal. The dental models can be delivered straight to the laboratory in the highest precision of detail at the push of a button.



Pioneering for decades

Thermoforming technique

We have certainly revolutionised dental technology with the introduction of thermoforming. Still convinced of this process, we continue to work on improving thermoforming technique with high-end equipment and specialised blanks.

Convince yourself of the many possible applications - from individual sports mouthguards to the aligner splint.



Strong alone, stronger together

The resin pouring technique

Functional, aesthetic, custom-fit: With Castdon we offer an unbeatable, complete cold-curing system for the resin pouring technique. In contrast to the hot polymer, dentures made of Castdon resin have a significantly lower shrinkage. In addition, the processing is easier, faster and cleaner.

Are you still unsure in the application? We regularly offer workshops on the topic, held by experienced experts.

Let there be light

Light polymerisation

Light-curing materials are among the most common laboratory helpers in the dental daily laboratory use. Without these and the appropriate equipment many elementary work steps cannot be adequately performed. This is why we constantly research innovations in the field of light curing. The replacement of light tubes by LEDs in our units is a shining example for simplified, more economical work processes.

Runs like a charm

Laboratory silicones

Laboratory silicones have been a fixed component of our product portfolio since the company was founded. Over the years, we have become specialists in dental silicones. We are proud of our product diversification with a wide range of services for everyday work in the dental laboratory - from duplicating to positioner silicone.

The finishing touch

Products and accessories

Small but powerful: Often it is tiny details that distinguish the quality of a piece of work. That's why we dedicate ourselves to the little things with the utmost care and commitment - from the model stump material to the mixing canula. We also set the highest quality standards for our accessories with the guiding principle "Everything from one source". Always with the aim to provide a quality product available for the user.









Dynax[®] silicones

A whole system for impression taking

Our Dynax[®] silicones guarantee both: precision and ease of use. High hydrophilic properties provide excellent impression precision. Our innovative snap-effect enables long processing time but short time in the patient's mouth. The whole impression process takes less than 3 minutes.

- Snap-effect
- **Optimised hydrophilic properties**
- Scannable surface
- Improved mechanics



Visual control of the implant impression with Dynax[®] clear

Dynax[®] putty

Addition-curing putty impression silicone. Non-sticky, easily kneadable consistency. Suitable for sandwich-, correction double mixing technique and valve border impressions. Combinable with Dynax® light.

2 x 450 ml tubs with dosing spoons	D6101
380 ml cartridge, 5 mixing tips, 1 bayonet-ring	D6150



Dynax[®] heavy body

Stable, addition-curing "tray-type" silicone. Pressure developing consistency with thixotropic characteristics. Especially suitable for sandwich, correction and double mixing technique. Can be combined with Dynax® light.

2 x 50 ml double cartridges with 6 mixing tips	D6112
8 x 50 ml double cartridges	D6113
380 ml cartridge, 5 mixing tips, 1 bayonet-ring	D6140

Dynax[®] light

Light bodied, addition-curing correction silicone. Thixotropic, thin flowing correction material (light body) with high detail precision. Suitable for the correction technique can be combined with Dynax[®] clear, putty, heavy body and mono.

Tip: Dynax® materials are perfectly matched with each other. For best detailed impression we recommend to use Dynax[®] light only with hydrophilic base material Dynax[®] putty and Dynax[®] heavy body.

2 x 50 ml double cartridges with 12 mixing tips	D6103
8 x 50 ml double cartridges	D6104







Dynax[®] mono

Addition-curing monophase impression silicone. Thixotropic and stable. Suitable for the monophase method, can be combined with Dynax[®] light.

2 x 50 ml double cartridges with 6 mixing tips 8 x 50 ml double cartridges 380 ml cartridge, 5 mixing tips, 1 bayonet-ring

Dynax[®] clear

Clear, transparent, addition-curing, monophase impression silicone ensures a perfect control already during the impression-taking. Excelent flowingcharacteristics. Especially suitable for the implant impression-taking. Can be combined with opaque correction silicone Dynax® light.

2 x 50 ml double cartridges with 6 mixing tips 8 x 50 ml double cartridges

	\mathbf{X}	•
Dynax [®] putty	1:30 min.	1:30 min.
Dynax [®] heavy body	1:30 min.	1:30 min.
Dynax [®] light	1:30 min.	1:30 min.
Dynax [®] mono	1:30 min.	1:30 min.
Dynax [®] clear	1:30 min.	2:00 min.





Impression taking Impression silicones

Zerosil[®] soft with color indicator

THE alternative to alginates. Now with a chemical color indicator that visually reflects the setting process using the color gradient 1:1. The final color is only achieved when the curing phase has really ended. In addition, processing time and time in the mouth have been reduced by 25 %.

380 ml cartridge	D5118

Zerosil[®] soft

Addition-curing impression silicone. High-quality, low-cost alternative to alginate impressions. Impressions can be filled several times. Disinfectable and compatible with all plaster materials. Unlimited storage of impressions. Especially suitable for the situation impression.

2 x 500 ml tubes	D48411
2 x 875 ml tubes	D4841

Your silicone for any application

Indication	Dynax® clear	Dynax [®] heavy body	Dynax [®] light	Dynax® mono	Dynax [®] putty	Zerosil® soft
Crown and bridge impressions						
Double mixing technique	•	•	•	•	•	
Correction	•	•	•	•	•	
Sandwich	•	•	•	•	•	
Monophase	•	•	٠	٠	•	
Inlay and onlay impressions						
Double mixing technique	•	•	٠	٠	•	
Correction	•	•	•	٠	•	
Sandwich	•	•	•	٠	•	
Monophase	•	•	•	•	•	
Pick-up impressions e.g. for implants						
Correction	•	•		٠		
Monophase	•	•		٠		
Functional impressions						
Function				•		
Fixation impressions						
Monophase		•		٠		
Relining impressions						
Monophase			٠	٠		
Pressure spot indicator						
Monophase			•	٠		
Impressions for temporaries						
Monophase				٠		•
Situation				•		•
Situation impressions						
Monophase						•
Situation						•
Impressions of the opposite jaw						
Monophase						٠



128





Situation impression with Zerosil® soft with color indicator



Silicones need more than 30 minutes to reach their perfect characteristics. Please make sure that you do not fill the silicone impression immediately after taking it out of the patient's mouth

Impression taking Bite registration

StoneBite[®]

Addition-curing silicone with an extreme final hardness of 48 Shore D. Absolutely precise and reliable. Especially suitable for bite registrations and registration keys for support pins.

2 x 50 ml double cartridges, 12 mixing tips, 12 application tips 4 x 50 ml double cartridges

StoneBite[®] scan

Scannable bite registration material based on A-silicone. High final hardness, thixotropic and stable. Very easy to cut and mill. Specially developed for use in the CAD/CAM area.

2 x 50 ml double cartridges, 12 mixing tips, 12 application tips

Regofix transparent

Transparent bite registration material, free from filling materials, not opaque to x-rays. Easy to cut with a high final hardness and spontaneous recovery from deformation. Suitable for guided bite registration in the area of the front teeth.

2 x 50 ml double cartridges, 12 mixing tips 8 x 50 ml double cartridges

Regofix opak

Bite registration material with very good cutting and milling characteristics. Fast, hard, precise. Suitable for all kinds of bite registrations and registration keys for support pins.

2 x 50 ml double cartridges, 12 mixing tips 8 x 50 ml double cartridges



Shore D is the measuring unit for the determination of the hardness of non-flexible materials, if beyond 90 Shore A.

	\mathbf{X}	*
Zerosil [®] soft with color indicator	1:00 min.	2:00 min.
Zerosil [®] soft	1:30 min.	1:30 min.
StoneBite®	0:30 min.	1:20 min.
StoneBite [®] scan	0:30 min.	1:20 min.
Regofix transparent	0:30 min.	1:30 min.
Regofix opak	0:30 min.	1:30 min.

D504872 D504873

D504870

D504876 D504877

D504874 D504875





	图	
40 Shore A	medium – type 2	plum to orange
40 Shore A	medium – type 2	orange
48 Shore D	medium – type 2	orange
32 Shore D	medium – type 2	grey
70 Shore A	medium – type 2	transparent
90 Shore A	high – type 1	blue



StoneBite[®]: Exact delineation, precise processing, long-term stability





Impression taking Accessories

Temporary C&B materials

Mixing tips		Tips	Fixtemp C&B	4:1	
Mixing ratio	1:1	For mixing tips for intra-oral	Automatically mix	able composite in a mixing	
Inner-Ø	5.4 mm	application.		wns, bridges, inlays and o	
Color	pink			elopment which damages	
	1	transparent (e. g. for Dynax® clear) yellow (e. g. for Dynax® light)	and secure applic	ation through safety-cart	ridge.
StoneBite®, StoneBit	e® scan		Fixt	temp C&B 4:1	
40 pieces	D4970X1	40 pieces, transparent D49602	Color 50	ml dc + 10 mt	5 x 50 m
		40 pieces, yellow D49604	A1 D50	0391	
100 pieces	D49701X1		A2 D50	0392	D50392
			A3 D50	0393	D50393
			A3,5 D50	0394	
Mixing ratio	1:1		B1 D50	0395	
Inner-Ø	4.2 mm	Application tips	Bleach X D50	0396	
Color	yellow	For mixing tips for intra-oral			
	,	application.			
Dynax® light	14				
		transparent (e.g. for StoneBite®)			
40 pieces	D4970X5				
100 pieces	D49701X5				
		40 pieces, transparent D49603			
Mixing ratio	1:1				
nner-Ø	6.5 mm		ALC: NO.		1915
Color	green		All and the second second	LE SALES ANY ANY	1111
	-	Deven et vien	and the second second second	State Prove Product	1.000
Dynax® clear, Dynax®		Bayonet-ring	and the second s	The second second	10. 10
Dynax [®] mono, Rego	fix	Attachment for the use of 380 ml		1 1/7	1010
		cartridges.	- 843 L	And May	1
40 pieces	D4970X2			ALL LAN	A.
100 pieces	D49701X2	Bayonet-ring, yellow D4980	Western Contract	ALL PARTY AND	2 22 3
				and the second	
			Convincing results w	ith Fixtemp C&B	
Miving ratio	5-1			•	
	5:1			·	
Inner-Ø	6.0 mm 👘			·	
Inner-Ø					
Inner-Ø Color	6.0 mm yellow				
nner-Ø Color Zerosil® soft, Dynax®	6.0 mm yellow putty		Fixtemp C&B 4:1		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body,	6.0 mm yellow putty Dynax® mono		Fixtemp C&B 4:1		~ 2:
Mixing ratio Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces	6.0 mm yellow putty Dynax® mono D4982		Fixtemp C&B 4:1		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body,	6.0 mm yellow putty Dynax® mono		Fixtemp C&B 4:1		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces	6.0 mm yellow putty Dynax® mono D4982		Fixtemp C&B 4:1		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces	6.0 mm yellow putty Dynax® mono D4982		Fixtemp C&B 4:1		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces	6.0 mm yellow putty Dynax® mono D4982		Fixtemp C&B 4:1 Mixing tips		~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces	6.0 mm yellow putty Dynax® mono D4982 D4981	injector	Mixing tips	0:45 min.	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces	6.0 mm yellow putty Dynax® mono D4982 D4981	Injector	Mixing tips Mixing ratio	0:45 min. 4:1	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1	6.0 mm yellow putty Dynax® mono D4982 D4981	Record	Mixing tips Mixing ratio Inner-Ø	4:1 3.2 mm	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1 For applications of 6	6.0 mm yellow putty Dynax® mono D4982 D4981	Interior	Mixing tips Mixing ratio	0:45 min. 4:1	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1 For applications of o silicones for S 50 dou	6.0 mm yellow putty Dynax® mono D4982 D4981 I:1 dental laboratory uble cartridges.	indextor	Mixing tips Mixing ratio Inner-Ø	4:1 3.2 mm	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1 For applications of 6	6.0 mm yellow putty Dynax® mono D4982 D4981		Mixing tips Mixing ratio Inner-Ø Color Fixtemp C&B 4:1	0:45 min. 4:1 3.2 mm light blue	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1 For applications of 6 silicones for S 50 dou	6.0 mm yellow putty Dynax® mono D4982 D4981 I:1 dental laboratory uble cartridges. 1:1		Mixing tips Mixing ratio Inner-Ø Color	4:1 3.2 mm	~ 2:
Inner-Ø Color Zerosil® soft, Dynax® Dynax® heavy body, 15 pieces 50 pieces DS 50 Injector 1 For applications of 6 silicones for S 50 dou	6.0 mm yellow putty Dynax® mono D4982 D4981 I:1 dental laboratory uble cartridges.		Mixing tips Mixing ratio Inner-Ø Color Fixtemp C&B 4:1	0:45 min. 4:1 3.2 mm light blue	~ 2:







Do not miss the point of time to take Fixtemp C&B out of the patient's mouth when still in the flexible phase. Every resin has a shrinkage!





DS 50 Injector 4:1

For applications of dental provisorical C&B materials from S 50 double cartridges.

Mixing ratio	4:1
--------------	-----



FotoDent[®] biobased model

Our first green 3D printing resin

Sustainability, climate, environment are as topical issues as ever and will remain so. We take this development into account and can now present the first impressive result to the dental world with the newest member of the FotoDent[®] family:

FotoDent[®] biobased model is a light-curing resin that consists of 50 percent renewable raw materials. The ecological advantage of bio-based raw materials over petroleum-based raw materials is that they have less impact on the climate during the production of the resin: If the carbon is bound from biomass, it does not turn into carbon dioxide. This is where plants convert carbon dioxide into a valuable raw material. This reverses the trend that humanity is increasingly emitting more carbon than carbon dioxide into the atmosphere.



The renewable raw materials are parts of wheat and maize that are not used for food production. The production of these herbal ingredients does not compete with food production. They are also genetically unmodified.

- + Reduced impact on the atmosphere
- Æ Free from carcinogenic substances
- Shorter cleaning times

FotoDent[®] product world

Generative production from one source

Already for decades Dreve Dentamid GmbH with their digital dental products stand for competence and innovation in the field of medical 3D printing. Just like it is with the classical portfolio, the system concept plays a decisive part: resins and units, all from one source, are perfectly matched. Thus we provide for specific processes in the dental laboratory.





Dental drill guides

Dental gingiva masks





Dental individual trays

Dental models





Dental crowns & bridges

Dental bite splints

NEW! FotoDent[®] Lube

Biobased insulating agent for 3D printed resin models in the processing of autopolymers. Optimal insulation for the scattering process in the orthodontic field or for the fabrication of dentures, e.g. from Castdon.





Castable moldings



Indirect bonding trays







Biobased dental models



Shake the bottle well before you pour the resin into the vat

D4307





3D printing FotoDent[®] resins

FotoDent[®] denture

385 nm

385 / 405 nm

385 nm

D35120

405 nm

Light-curing resin for the production of denture bases. The material provides for accurate results with an outstanding dimensional stability. FotoDent® denture is MMA-free and stable in color.

pink transparent, 1.0 kg bottle	D35500
pink opaque, 1.0 kg bottle	D35501

FotoDent[®] guide

Light-curing resin for the manufacturing of dental drill guides. Drill guides made from FotoDent[®] guide are dimensionally stable and biocompatible.

385 nm, clear transparent, 1.0 kg bottle	D35650
405 nm, blue transparent, 1.0 kg bottle	D35600

FotoDent® IBT

Light-curing resin for the manufacturing of transparent indirect bonding trays. Monitoring of correct bracket positions is possible at any time - before and after fixing. Simple removing due to optimal flexibility. Usable with all common bracket systems.

1.0 kg bottle

NEW! FotoDent[®] splint

Light-curing material for the production of dental splints using the 3D printing process. The molded part produced is particularly fracture-resistant and has a homogeneous surface. Dental splints manufactured from FotoDent® splint are biocompatible.

1.0 kg bottle

D35800

NEW! FotoDent® TCB

FotoDent® TCB is a 3D printable composite material for the fabrication of temporary crowns and bridges. Suitable for chairside and laboratory printers. Available in shades A1, A2, A3, A3.5, B1 and BleachX.

1.0 kg bottle

FotoDent[®] trav2

385/405 nm

385/405 nm

Optimized, biocompatible light-curing resin for the manufacturing of dental impression trays. High reactivity at low viscosity. Simplified cleaning and improved mechanical properties. Two times faster printing times, layer thicknesses of 300µm possible. The finished impression trays have a homogeneous surface, which significantly reduces manual reworking.

blue transparent, 1.0 kg bottle	D353001
green transparent, 1.0 kg bottle	D353002
pink transparent, 1.0 kg bottle	D353003

FotoDent[®] cast

Light-curing resin for the production of burn-out molded parts for the dental casting technique. The material is highly compatible: it can be used with all commercially available embedding materials.

1.0 kg bottle	[





FotoDent[®] gingiva

Light-curing resin for the manufacturing of dental gingiva masks. Permanently soft and flexible. Perfectly combinable with working models made of FotoDent® biobased model and model2 resins.

1.0 kg bottle

FotoDent[®] biobased model

Light-curing resin that consists of 50 percent renewable raw materials. The material properties are of course ideal for model production (also in Aligner workflow). FotoDent® biobased model can be cleaned with FotoClean.

1.0 kg bottle

FotoDent[®] model2*

Especially developed for new generations of printers with 385 nm: Light-curing resin for the manufacturing of dental models for orthodontics and prosthetics. Faster printing process due to higher output, still with the same precision.

beige opaque, 1.0 kg bottle
black, 1.0 kg bottle
white, 1.0 kg bottle

NEW! FotoDent® model3

FotoDent® model3 is the latest variant oft he dental model range. It is characterized by a short printing time, which results in a higher production capacity. It can be processed on all standard DLP and LCD printing systems. The printed dental model can be easily cleaned with water after production and impresses with its high drawing accuracy.

1.0 kg bottle

	×	××××		Ĩ	.
FotoDent [®] denture	> 2,000 MPa	> 80 MPa	-	pink transparent, pink opaque	0.4–0.6 Pa s
FotoDent [®] guide 385 nm	≥ 1,900 MPa	≥ 90 MPa	≥9 %	clear transparent	0.7 ± 0.2 Pa s
FotoDent [®] guide 405 nm	≥ 1,700 MPa	≥ 75 MPa	≥ 10–15 %	blue transparent	0.65–1.05 Pa s
FotoDent [®] IBT	-	-	≥ 45 %	clear transparent	0.7 ± 0.2 Pa s
FotoDent [®] splint	> 1,500 MPa	> 75 MPa	> 10 %	clear transparent	0.6 ± 0.1 Pa s
FotoDent® TCB			Comin	ig soon	
FotoDent [®] tray2	≥ 2,100 MPa	> 90 MPa	-	blue transparent	~ 1.2 Pa s
FotoDent [®] tray2	≥ 2,100 MPa	> 90 MPa	-	green transparent	~ 1.2 Pa s
FotoDent [®] tray2	≥ 2,100 MPa	> 90 MPa	-	pink transparent	~ 1.2 Pa s
FotoDent [®] cast	≥ 2,000 MPa	≥ 100 MPa	7,5–11 %	red transparent	< 0.3 Pa s
FotoDent [®] gingiva	-	-	>40 %	pink	~ 2 Pa s
FotoDent [®] biobased model	≥ 2,200 MPa	≥ 95 MPa	≥ 5%	beige opaque	~ 0.6 Pa s
FotoDent [®] model2	≥ 1,900 MPa	≥ 85 MPa	≥8%	beige opaque	1.0 ± 0.2 Pa s
FotoDent [®] model2	≥ 2,000 MPa	≥ 100 MPa	≥ 10%	black	0.75 Pa s
FotoDent® model2	≥ 1,950 MPa	≥85 MPa	≥8,5%	white	0.7 ± 0.2 Pa s
FotoDent [®] model3	Coming soon				

*Please note: Depending on the selected color, the printing times of the models may differ.



















D35850

385nm

D35450

385 nm



385/405 nm







NEW! Phrozen Sonic XL 4K

Compact LCD desktop printer with 52µ print precision thanks to 4K display and high light intensity for fast construction times. The high-quality processed full metal housing, a huge build platform and an easy handling of the vat make the Dreve version of the Sonic XL 4K a user-friendly 3D printer for all dental applications.

Print volume: 200 x 125 x 200 mm

Phrozen Sonic XL 4K

D3500

- Adjusted slicer and optimized Dreve printing profiles for top results
- \oplus Large build volume ______
- \oplus W-LAN, LAN and USB connection
- \oplus Touchscreen with intuitive software
- \oplus Web-based control and monitoring
- \oplus Low maintenance and professional support





3D Druck Printer supplies & Cleaning

NEW! Building platform

Accessory for Phrozen Sonic XL 4K. Made of high quality stainless steel.

Building platform

NEW! FEP blank

For insertion into the resin tray of the Phrozen Sonic XL. 4K.

FEP blank

NEW! Resin vat

Accessory for Phrozen Sonic XL 4K. The use of multiple trays allows a faster change of material.

Resin vat

NEW! Vat storage cabinet

The storage cabinet for resin-filled vats offers space for up to 5 vats in fully removable drawers. The drawers are opaque, which means that even vats already filled with resin can be stored without any problems. Delivery includes a label for each FotoDent® resin.

Vat storage cabinet

NEW! FotoWash

Cleaning unit for 3D printed components after the printing process. Unit with magnetic stirrer technology and automatic transfer between the two basins. Various cleaning programs can be selected and created via the touchscreen. The platform of the Sonic XL 4K can be hooked directly into the unit and can be cleaned together with the adhering components.

FotoWash

D3600

- Matched cleaning profiles for the FotoDent[®] materials
- Optimal supplement for the Sonic XL 4K
- \oplus Automatic transfer between pre-cleaning and post-cleaning



3D printing Cleaning

3D printing Curing

Bandelin RK 100 H

High quality, robust ultrasonic cleaning unit with stainless steel tub. The compact and easy-to-use device has a timer from 1 to 15 minutes or runs continuously. Heating function with continuously adjustable temperature between 30 and 80 °C. Recommended for use with FotoClean.

Inner dimensions: H 100 x W 240 x D 140 mm Ultrasonic power: 320 W

Bandelin RK 100 H	82100
-------------------	-------



Insert basket made of stainless steel

Dimensions: H 52 x W 175 x D 70 mm.





82102

Stainless steel perforated lid

Suitable for 2 beakers.

1 piece

1 piece	82101		
		82101	100
			C
Beaker			
600 ml, Ø 85 mm.			
1 piece	82102		

FotoClean

FotoClean is a ready-to-use, water-based cleaning mixture for use in the heated ultrasonic cleaning device Bandelin for cleaning additively manufactured components.

2 x 1 l bottle	D4397
5 l canister	D4398



	4	
Bandelin RK 100 H	230 V / 50 Hz	2.0 l

PCU LED N₂

Laboratory unit on LED-basis for the curing of 3D printed parts. Ensuring of mechanics and biocompatibility through effective deep curing. Two different curing enviroments selectable depending on the application area. The additionally eligible nitrogen enviroment of PCU LED N₂ ensures cured components without inhibition layer – for laboratory and medical devices.

PCU LED N2 4317

- Open system with ----- 10 programmable memory spaces
- Simple operating concept with electronic control system
- Logging and monitoring of process parameters
- **Generation** Selectable curing environments

NEW! PCU vario

Laboratory device on LED basis for curing 3D printed components. Ensuring mechanics and biocompatibility through effective deep curing. The PCU vario offers both the option of a vacuum atmosphere and the option of curing under nitrogen. Biocompatible curing without an inhibition layer can be ensured.

PCU vario 4319

- Open system with 30 freely programmable memory locations -
- Modular design with up to 3 polymerization chambers and only one control module
- Logging and monitoring of process parameters
- Nitrogen and vacuum atmosphere possible

	4	
PCU LED N ₂	100–240 V / 50–60 Hz, 150 W	
PCU vario	100–240 V / 50–60 Hz, 500 W	арр



Inner dimensions polymerisation chamber:

H 65 mm B 150 mm T 150 mm





H 80 mm W 420 mm D 270 mm



240 x 660 x 410 mm

red

Thermoforming technique by Dreve

Pioneering for decades

We have certainly revolutionised dental technology with the introduction of thermoforming. Still convinced of this process, we continue to work on improving thermoforming technique with highend equipment and specialised blanks.

Convince yourself of the many possible applications – from individual sports mouthguards to aligners.



Thermoforming blanks

All Dreve thermoforming blanks are round as standard. The article numbers listed in the catalog refer to **round blanks with a diameter of 120 mm.**

Do you need round blanks with a diameter of 125 mm? Simply add an "S" after the article number. Example: D420001 (Biolon 120 mm) / D420001S (Biolon 125 mm)





We are the official supplier of the German Hockey Federation. Our world champions wear the Dreve Mouthguard professional 3D – the first mouthguard with 3D printed insert for best protection and fit.

Application	Product	🛔 Stre	ngth			
Aligner	Biolon	0.5 mm	0.625 mm	0.75 mm		
	Drufoplast	2 mm				
Base plates	Drufoplast incl. tray handle	3 mm				
	BioBleach [®] hart	0.5 mm				
Bleaching	BioBleach [®] soft	1 mm				
	Drufosoft [®]	1 mm	1.5 mm			
Matrix	Drufolen H	0.6 mm				
Matrix	Drufolen W	0.45 mm	0.65 mm	0.8 mm		
Custom-made trays	Drufoplast incl. tray handle	3 mm				
Orthodontic devices	Biolon	2 mm	3 mm			
	Biolon	2 mm				
Mouthguards	Drufosoft [®] transparent	2 mm	3 mm	4 mm		
	Drufosoft [®] colour	3 mm				
Space maintainers	Drufolen W	0.65 mm	0.8 mm			
	Biolon	0.75 mm				
Positioner / Retainer	Drufosoft® transparent	1.5 mm	2 mm	3 mm	4 mm	5 mm
Positioner / Retainer	Drufosoft [®] colour	3 mm	4 mm			
	Drufosoft® pro	3 mm				
Production of temporaries	Biolon	0.5 mm	0.75 mm			
roduction of temporaries	Drufolen H	0.6 mm	0.8 mm			
	Biolon	1 mm	1.5 mm	2 mm		
X-ray splints	Drufoplast incl. tray handle	3 mm				
	Biolon	0.75 mm	1 mm	1.5 mm	2 mm	3 mm
Splint therapy	Drufosoft [®] pro	3 mm				
	Kombiplast	2 mm	3 mm	4 mm		

Thermoforming technique Blanks

Thermoforming technique Blanks

BioBleach® hart

Thermoforming blank made of polyethylen especially developed for bleaching and medical trays. Slightly flexible, also suitable for situations with slight undercut areas. Delivery inlcuding insulating foil for high, clear transparency.

<mark>∔</mark> mm	pieces	item No.
0.5	25	D420015

BioBleach[®] soft

Transparent thermoforming blank made of vinyl acetate copolymer with a hardness of 95 Shore A. For the production of soft, bleaching/medication splints extending the gingival margin.

<mark>.</mark> ♣ mm	pieces	item No.
1	20	D4300

Biolon

The thermoforming blank made of PETG (polyethylene terephthalate glycol) is supplied with an insulating film for the purpose of high transparency. Since it is tough-elastic and can be built up with acrylate, it is particularly suitable for aligner, bite and occlusion splints, as well as for orthodontic appliances.

井 mm	pieces	item No.
٥.F	25	D420001
0.5	50	D420002
0.625	20	D420019
0.025	40	D420020
0.75	20	D420003
0.75	40	D420004
	25	D420005
1	50	D420006
1.5	30	D420007
1.5	60	D420008
2	20	D420009
2	60	D420010
3	10	D420011
3	50	D420012

Bleaching/Medicament splint made of BioBleach[®] hart. Cenit L used as a spacer



Bleaching/Medicament splint made of BioBleach[®] soft. Drufolen W used as a spacer



Aligner made of Biolon



Biolon for Vacfomat V9 2.0

Tough elastic hard plastic out of PETG (Polyethylene terephthalate glycol). Up to 9 aligners can be produced per blank in one thermoforming process. Biolon is equipped with an insulating foil to give the aligner a highly transparent appearance.

∔ mm	Ømm	color	pieces	i
0.5				I
0.625	354	clear	50	I
0.75	554	transparent	50	I
1				I

Drufolen H

Thermoforming blank made of polyethylene. Due to its hard-flexible consistency and residue-free combustion it is especially suitable for the production of molding parts, transfer caps and stencils for the production of temporaries.

<mark>∔</mark> mm	Ømm	color	pieces	ite
0.6	42	natural	150	D
0.6	120	natural	40	D
0.8	120	natural	40	D

Drufolen W

Thermoforming blank made of polypropylene. Due to its soft-flexible consistency and residue-free combustion it is especially suitable for the production of molding parts and matrix with undercut areas and space maintainers used for medical splints.

0.45 120 natural 40 I 0.65 42 natural 100 I 0.65 120 natural 40 I 120 natural 40 I I 0.65 120 natural 40 I I 0.65 120 natural 40 I I 0.8 120 natural 40 I I	🕂 mm	Ømm	color	pieces	ite
120 natural 40 10 42 natural 100 1 0.65 120 natural 40 1 120 blue 40 1 1 120 blue 40 1 1 120 blue 40 1 1 0.8 120 natural 40 1	0.45	42	natural	150	D
0.65 120 natural 40 1 120 blue 40 1 42 natural 100 1 0.8 120 natural 40 1	0.45	120	natural	40	D
120 blue 40 I 42 natural 100 I 0.8 120 natural 40 I		42	natural	100	D
42 natural 100 I 0.8 120 natural 40 I	0.65	120	natural	40	D
0.8 120 natural 40 I		120	blue	40	D
		42	natural	100	D
120 blue 40 I	0.8	120	natural	40	D
		120	blue	40	D
1 120 natural 30 I	1	120	natural	30	D

Sample selection thermoforming blanks

The complete range of the Dreve thermoforming blank program contains all the information you need about materials, layer thicknesses and accessories. Packed in a handy binder.

D3272 Binder



NEW! Clearer, more up-to-date, better

You can find our thermoforming blank overview including heating and cooling times, learning barcodes and other useful info on our website under "Downloads" as well as in the web store on the pages of the respective blanks.

item No.
D420021
D420022
D420023
D420024



tem No. 04237442 D423641 0423681

em No. 42384N42 0423441N 42386N42 423461N 0423461B 42388N42 423481N 0423481B 423401N



9 blanks in one thermoforming process: Biolon for Vacfomat V9 2.0

Template for the production of provisoricals made of Drufolen H



Bleaching/Medicament splint with Drufolen W used as a spacer



Thermoforming technique Blanks

Thermoforming technique Blanks

Drufosoft[®]

Thermoforming blank made of ethyl vinyl acetate. Soft elastic with high recovery from deformation with a final hardness of 82 Shore A. Can be laminated and is ideally suited for sports mouthguards, positioners and duplication forms.

Please note:

Drufosoft[®] transparent and colour are available with special dimensions on request.

Drufosoft® colour







<mark>∔</mark> mm	color	pieces	item No.
1		20	D4245
1		50	D42451
		20	D4252
1.5		50	D42531
-	transparent	15	D4250
2		50	D42511
		10	D4248
		30	D42481
	neon red	3	D42483X2
		10	D4248X2
		3	D42483X3
	neon green	10	D4248X3
		3	D42483X4
	neon yellow	10	D4248X4
	hlur	3	D42483X5
	blue	10	D4248X5
		3	D42483X6
	yellow	10	D4248X6
	black	3	D42483X7
	DIdCK	10	D4248X7
	white	3	D42483X8
	white	10	D4248X8
	pink	3	D42483X9
	pink	10	D4248X9
3	red	3	D42483X17
5	leu	10	D4248X17
	turquoise	3	D42483X18
		10	D4248X18
	gold	3	D42483X19
	30.0	10	D4248X19
	silver	3	D42483X20
	5	10	D4248X20
	blue opaque	3	D42483X21
	wine obadae	10	D4248X21
	green	3	D42483X22
	<u>g</u>	10	D4248X22
	purple	3	D42483X23
		10	D4248X23
	light blue	3	D42483X24
	J	10	D4248X24
	bordeaux	3	D42483X25
		10	D4248X25
	orange	3	D42483X26
	5	10	D4248X26
4		15	D42472
	transparent	75	D424901
5		15	D4225

Drufosoft[®] pro

Transparent thermoforming blank made of ethyl vinyl acetate. Hard-flexible occlusion splints with high recovery from deformation with a final hardness of 95 Shore A. Can be laminated and is perfectly suitable for occlusion splints, positioners and bruxism splints.

<mark>∔</mark> mm	pieces
3	10

Drufoplast

Red-opaque blanks made of polystyrene. Extremely break-resistant. Especially suitable for base plates for bite-takings and set-ups.

<mark>.</mark> ♣ mm	pieces
2	15

Drufoplast incl. tray handle

Transparent thermoforming blank made of polystyrene extremly high breakrestistance. Especially suited for custom-made impression trays and x-ray splints.

<mark>∔</mark> mm	pieces
3	10
3	100

Kombiplast

Highly transparent two layer thermoforming blank made of PETG and EVA. High wearing comfort of occlusion splints due to hard surface and soft inner side. Bonds with acrylate for the individal adjustment.

<mark>∔</mark> mm	pieces
2 (soft 1 : hard 1)	10
3 (soft 1.5 : hard 1.5)	10
4 (soft 1 : hard 3)	10



item No. D420016 D420017 D420018 Occlusal splint made of Kombiplast



Thermoforming technique Mouthguard

Thermoforming technique Mouthquard

Dreve Mouthquard

A must in every sports bag. The professional mouthguard with optimum fitting and best protection. No impact on talking, breathing and swallowing. Select the appropriate mouthguard according to the sports discipline: By using different materials and material thicknesses, the mouthquard is customised according to the sports activity. X-ray opaque stripes stand for safety. So does the Dreve Mouthquard logo, ensuring that the mouthquard was produced in a certified dental lab. Our sales channel through certified dentists and dental technicians trained by Dreve stands for constantly high quality unrivalled for many years.

- Customised fitting by the dentist \oplus
- \oplus Individually manufactured in the dental lab
- \oplus **Optimum shock absorption** and firm fitting in the mouth

Dreve Junior

Sports mouthguard for children and adolescents up to the age of 14.

- 1 x Drufosoft[®] transparent (2 mm)
- 1 x Drufosoft[®] colour (3 mm)

Dreve Senior

Sports mouthguard for adults, for most hobby sports disciplines like Handball, Basketball, Squash, American Football etc.

- 1 x Drufosoft[®] transparent (3 mm)
- 1 x Drufosoft[®] colour (3 mm)

Dreve Elite

Sports mouthguards for martial arts (with soft inlay) e.g. Boxing, Judo, Wrestling, Rugby.

- 2 x Drufosoft[®] transparent (3 mm)
- 1 x Drufosoft[®] colour (3 mm)

Dreve Mouthguard Professional 3D

Sports mouthguard with a 3D printed insert.

- 1 x Drufosoft[®] transparent (3 mm)
- 1 x 3D Protector inlay
- 1 x Drufosoft[®] colour (3 mm)







Dreve Mouthquard professional 3D

A miracle of bionics: In close exchange with sports scientists and professional athletes, we have succeeded in combining two different methods - traditional thermoforming technology and digital printing technology – into one product that exceeds the previously available mouthguards in terms of protection and comfort.

Dreve Mouthguard professional 3D Starter Set

Complete set for the production of two "next level" mouthquards with a 3D printed, flexible insert for the best protection and accuracy of fit.

Included:

- 4 x Drufosoft® 3.0 mm
- 4 x 3D Protector inlays (1 x / type)
- 1 x 20 ml Protector Adhesive
- 1 x 20 ml Finishing Liquid
- 1 x Mouthguard Box

All items are also available separately.

Dreve Mouthguard professional 3D Starter Set

3D Protector inlays

3D printed inlays (8 pieces) for the production of professional 3D mouthguards. Choose between Basic (1.0–1.2 mm) and Premium (1.1-1.7 mm) depending on the required protection.

∔ mm	Size	Pieces	item No.
Basic	L	8	D44601
Basic	XL	8	D44602
Premium	L	8	D44603
Premium	XL	8	D44604



The honevcomb structure of our new 3D Protector inlavs is inspired by bionics. Bionics describes the science of solving technical problems based on the example of biological functions.

Protector Adhäsiv

For connecting the first Drufosoft[®] blank with a 3D Protector insert.

20 ml bottle





D44600

D44605



Thermoforming technique Mouthguard

Thermoforming technique Units



X-ray opaque stripes

For insertion into Dreve Mouthguards. Allows the detection of the mouthguard on X-ray images, for example in unconscious patients.

15 pieces

D4445



Dreve Mouthguard Label

Insertion for Dreve Mouthguards. Issued exclusively to certified laboratories. Proof of outstanding quality regarding production and efficiency of the mouthguard.

D44500 1 sheet/60 pieces



Vacfomat V9 2.0

Vacuum-based thermoforming unit, specially developed for the production of aligner splints. Up to 9 aligners can be thermoformed at the same time in just one operation. Easiest operation as well as constant digital and acoustic control of all work phases ensure problem-free work even with little prior knowledge.

Vacfomat V9 2.0

D3282

- + Vertical molding - - -
- \oplus Powerful vacuum pump
- \oplus Up to 108 aligner blanks / hour



Reliably precise results in industrial quality with the Vacfomat V9 2.0



Did you know

4 • 220–240 V / 50 Hz Vacfomat V9 2.0 2,000 W





Magnetic pliers V9 2.0

Gripping pliers for safe removal and integration of the model tray in the Vacfomat V9 2.0.

> The model tray can be safely removed from the device and reintegrated without direct contact thanks to the magnetic locking of the gripping pliers.



Thermoforming technique Units

Drufomat scan

Very easy to handle high-end thermoforming unit with a maximum in userfriendliness and consistently precise final results. Built for all applications in dental thermoforming technique. Easy to use keypad, integrated bar code scanner identifies blanks and a working pressure of up to 6 bar. Additional safety factors for professional results. Two-hand operation and LEDs that light up when heating is in operation.

	\square
Content:	from diameter 120 mm
Base range of blanks	
 Drain pot for granules 	
 Air connection hose (1 m) 	
red	D3300
silver	D3300X1
Special color from RAL-Color-Chart	D3300X2





Aligners, mouthguards, bruxism splints: The thermoforming allrounder Drufomat scan belongs in every professional lab



Perfect combination of technology, software and design

+ Very easy operation

Did you

know

- High working-pressure for all applications
- Multi-functional professional unit

vacuum units.

Pressure thermoforming machines work with a forming pressure which is up to

8 times as high as the forming power of

Thermoforming technique Units

Drufosmart scan

Pressure forming unit with integrated bar code scanner to identify blank codes and a working pressure of up to 4 bar. Display with selfexplanatory control panel, vertical blank impression for best results. Due to the 2-hand operation and automatic switch-off function of the heating element safe working conditions are ensured. Covers the entire scope of thermoforming technique.

\bigcirc
from diameter 120 mm
D3400

Drufosmart

Basic pressure thermoforming unit with 2.5 bar working pressure. The better alternative in comparison to vacuum units with about three times higher forming pressure. Semi-automatic operation for easy adjustment of the corresponding heating times 2-hand operation and automatic switch off function of the heating element ensure safe working conditions.



Base range of blanks

Content:

• Air connection hose (1 m)

red	220–240 V / 50 Hz	D3200
red	115 V / 60 Hz	D3200A

	4	•		Â	
Drufomat scan	115–240 V / 50–60 Hz	max. 315 W	2–6 bar (19–87 psi)	16 kg	490 x 290 x 290 mm
Drufosmart scan	115–240 V / 50–60 Hz	max. 275 W	2–4 bar (19–58 psi)	15 kg	420 x 320 x 290 mm
Drufosmart	220–240 V / 50 Hz 115 V / 60 Hz	max. 275 W	2.5 bar (36 psi)	15 kg	420x320x290 mm





Thermoforming technique Accessories



Round granules

Steel granules

Granules

For embedding unneeded model parts during the thermoforming process.

Round granules; 1.2 kg bottle	D4282
Steel granules; 1.2 kg bottle	D4283
Refined steel granules; 1.2 kg bottle	D4284

Pressure polymerisation insert

This insert allows an extra use of Drufomat units as pressure pot for cast flasks. The pressure polymerisation insert is to be placed onto the base plate of the Drufomat. The desired pressure can be adjusted individually between 2 and 6 bar.

Pressure polymerisation insert

D3227

D3273

Refined steel granules

Workout set thermoforming technique

Set of grinding tools for the workout and finishing of all thermoformed parts, assorted in a robust and practical table stand, made of stainless steel.

Content:

 1 x square cutter* 	(D4374V)
• 1 x cutter*	(D4374S)
 1 x UltraTrimm (medium)* 	(D43752)
 1 x UltraTrimm (light)* 	(D43753)
 1 x grinding cap holder (size 2)* incl. grinding cap 	(D38230T2/D38230S2)
 1 x grinding cap holder (size 1)* incl. grinding cap 	(D4458/D4461)
• 2 x mandrels incl. support discs	
 1 x hard rubber, flame shaped 	
 1 x brush made of goat hair 	
• 1 x cotton buff	

Items marked with * are separately available.

Workout set



Finishing works with the workout set thermoforming technique

Thermoforming technique Accessories

Fillin

Reusable block-out material on silicone basis, for covering undercut areas on the model.

60 g strip, nature

Foil scissors

Stable special scissors for use in the thermoforming technique, with ridged and bent cut.

Foil scissors

Cutters

Carbide burs for quick and clean separating and cutting or finishing of all hard thermoforming materials.

Square cutter without toothing

Piercing cutter with spiral cut

Finishing Liquid

Polishing fluid for removing roughness from Drufosoft® materials.

250 ml bottle

Silicone grease

Special care agent for lubricating rubber seals, for example o-rings on thermoforming units and pressure pots.

35 g tube

MaxiFresh™

Cleaning tablet for the outer cleaning of dental splints. Used daily it guarantees perfect hygiene and reduction of decoloration. Does not contain any abrasives and thus extends considerably the life span of splints and sports mouthguards.

24 tablets with bowl 24 tablets refill set







D42541

D4369

Accurate work with Fillin



D4374V D4374S

D4466N

D3350

D4100 D4101







Square cutter

Piercing cutter

Learn practically from professionals

You never stop learning

The range of topics of our workshops offered is as diverse as the dental work routine. Thanks to this broad range, dentists, dental technicians, trainees and students benefit from our know-how and numerous practical tips.

With the hands-on courses, you will have the opportunity to learn our range of systems in a well-founded and practice-oriented way. Great emphasis is on "learning by doing". That is why we attach great importance to practical work in our workshops. That way, you can use what you have learned in the workshop immediately in your daily work and be more efficient in the long run.

What to expect

A maximum of 8 participants per course are scheduled. Thus we can offer you individual training and personal support. The workshop content covers the entire Dreve product portfolio and includes both basic knowledge as well as selected special topics. We are pleased to cater for your physical well-being with a lunch as well as soft drinks. At the end of the course you will receive a personalised certificate of participation.

So, for example, you will learn

- how to fabricate an occlusal splint
- why we still consider the thermoforming technique indispensable
- why our Dreve Mouthguards are so much better than ready-made mouthguards

We offer these workshops on the subject of thermoforming technology

- Basic training
- Bite splints
- Dreve Mouthguard



Information / Registration: dentamid.dreve.de/en/themes/workshops







Thermoforming technique Save resources



Use material more efficiently with the Dosper evo

Compared to manual mixing, using the Dosper evo saves 10 to 15 percent of material per duplication. With conventionally estimated five doublings per day, the Dosper evo quickly pays for itself.

Saving twice as much energy with the Polymax

Thanks to the high-quality cast iron pot, heat once generated is retained much better than with stainless steel, for example. In addition, the Polymax heats only as needed - unlike the operation of hotplates.

Save power with the Drufomat scan

The scanner of our high-end thermoforming unit switches off automatically after 15 minutes without use. It can be reactivated by pressing any device key.

Conserve resources and save electricity with the EyeVolution® series

The use of LEDs is more energy-saving than, for example, the use of flash lamps. In addition, LEDs have a significantly longer product life cycle.

Manage water more efficiently thanks to the Labormat range

Compared to other forms of cleaning, the water in our Labormats can be used much more economically (since it is used several times) by means of circulation.











Denture production with Castdon resin

Functional, aesthetic, custom-fit

With Castdon we offer an unbeatabable, complete cold-curing system for the resin pouring technique. In contrast to the hot polymer, dentures made of Castdon resin have a significantly lower shrinkage. In addition, the processing is easier, faster and cleaner.





- Maximum dorsal model height
- Create wax modeling as usual
- Functional ridges must be free of wax
- Align model in flask

Fix • Fix model with wax on the base plate

- Lock the flask top with clamps
- Check correct closure



Mix

• If necessary, shake Siliform before use • Measure 150 ml for each component and mix homogeneously with spatula



Fill • Fill flask completely from above in a thin stream



Curing

• Ideally, cure the silicone under the same pressure as during the polymerisation of the casting resin (e.g. Polymax) • Curing about 30 minutes



Demoulding

• Loosen the bottom plate and demould the model



Dispense

- Reposition the model
- Lock with bottom plate
- Fill dosage dispenser, because equal filling levels guarantee the optimal mixing ratio (17g powder / 11 ml liquid for a prosthesis)

Fill Mix Castdon Monomer and Polymer homogeneously in the mixing bowl • Fill in a thin stream through one channel only

14



Remove

model

• After polymerisation, loosen the

• The denture is easily detached from the

- bottom plate • Demould the model
- surpluses, fine work with sandpaper • ... and polishing - done!

Fine work



Cut out

- Two sprues are always stung in the dorsal area of the alveolar ridge
- Create a channel in the upper jaw centrally to the base



Repositioning

- Remove wax from teeth with stainless steel bottom plate
- Roughen teeth and attach retention
- Reposition teeth in the duplicating form • The moist surface of Siliform does not require bonding of the teeth



Isolate

- Water the model in warm water, then dry the surface
- Isolate with Isolat film
- Isolate only single-layered











Results will be even more precise if resin from the is cured under pressure.





Polymerise

- Cure in Polymax for 25 minutes at 45 °C
- Fill the water level up to the edge of the flask
- The resin-filled funnels should not be submerged



• The rework is reduced to removal of





Resin pouring technique Denture pouring system

Castdon: The pouring system for full and partial dentures

Autopolymerizing, cadmium-free PMMA-pouring resin with barbiturate curing system. Proven biocompatibility, minimum content of rest monomer, high break and color resistence. Perfectly appropriate for the production of full and partial dentures due to outstanding pouring qualities and minimum shrinkage.

Silifo

Siliform

-

-

Isolat

inen in

•

1

Did vou

know

Castdon Poly

The Castdon prosthesis

prostheses made with

FotoDent[®] denture.

system is perfect

for repairing

- **Break-proof and color stable**
- Excellent flow characteristics

Castdon Starter Kit

Comprehensive complete package with all necessary system components for the preparation of full and partial dentures. Contains material for the preparation of about 8 full dentures. All listed items are also sold seperately.

Content:

1 x Castdon flask	(D3803)
1 x Castdon Monomer (500 ml)	(D3865)
1 x Castdon Polymer (750 g)	(D3873 / D3884)
1 x Siliform (2 x 850 ml)	(D38605)
1 x Isolat film (1 l)	(D4304)
1 x Canal piercing instrument	(D3872)
1 x Castdon dosing aids (2 pieces)	(D38092)
ink transparent	



Castdon Polymer

Powder for Castdon resins based on polymethyl methacrylate copolymer.

750 g tub	transparent	D3879
	pink transparent	D3873
	pink opaque	D3884
1.2 kg tub	pink transparent	D3874
	pink opaque	D3887
4.0 kg bucket	pink transparent	D3876



Castdon Monomer

Mixing liquid for Castdon resins on the basis of methyl methacrylate.

150 ml bottle	
500 ml bottle	
1 l bottle	

Dosing aids

2 measuring cups for dosing the Castdon resin in the optimal mixing ratio.

Dosing aids

Castdon flask

Professional pouring flask with transparent upper part, stainless steel bottom plate with integrated chambers for teeth dewaxing.

Caston flask incl. canal piercing instrument

Canal piercing instrument

For piercing cast canals in the dorsal area.

Canal piercing instrument, Ø 8 mm

Siliform

Addition-curing, shrink-free silicone for the resin pouring technique for exact detail production and faithful reproduction of the wax set-up. Slightly oily surface film enables excellent flow characteristics. Final hardness of 14 Shore A for easy flask removal.

2 x 850 ml bottles

Gelon

High quality duplicating gel on the basis of Agar-Agar. Extra hard and stable in form. Especially developed for model casting and denture pouring technique. Fast and precise work thanks to low shrinkage and short curing times.

6.0 kg bucket green 6.0 kg bucket transparent

Isolat film

Heat-resistant film forming insulating agent with excellent separation effect on the basis of alginate. Excellent separation effect for smooth and pore-free surfaces. Suitable for insultation of plaster/resin as well as plaster/plaster.

1 l bottle 5 l canister



Resin pouring technique Pressure polymerisation units

Resin pouring technique Pressure polymerisation units

Polymax series

Pressure polymerisation units especially developed for hot and cold curing dental resins. Adjustable temperature, 90 minutes timer, variably adjustable air pressure from 3 to 6 bar. Reliable and maintenance-free technology with automatic safety gasket system, coated aluminium pressure pot, cover from stainless steel and a sturdy housing made of polyurethane. An integrated water outlet valve facilitates the use as pressure compactor with heating switched off. Material-specific parameters of temperature and time can be monitored on the digital display and the integrated manometer.

Content:

- Pressure hose
- Water drain hose

- **Golid and maintenance-free technique**
- \oplus Automatic safety-sealing-systems
- Housing cover made of stainless steel \oplus
- \oplus External housing made of hard-wearing PU



٩

Inner dimensions pressure pot:

Ø 220 mm Height 174 mm Volume 6.6 l

Polymax 5		up to 95 °C
red	230 V / 50–60 Hz	D3423
red	115 V / 50–60 Hz	D3423A
silver	230 V / 50–60 Hz	D34231
silver	115 V / 50–60 Hz	D34231A

Polyn	nax 1	up to 95 °C
red	230 V / 50–60 Hz	D3429
red	115 V / 50–60 Hz	D3429A
silver	230 V / 50–60 Hz	D34291
silver	115 V / 50–60 Hz	D34291A

Polymax 1		up to 120°C	
red	230 V / 50–60 Hz	D3428	
red	115 V / 50–60 Hz	D3428A	
silver	230 V / 50–60 Hz	D34281	
silver	115 V / 50–60 Hz	D34281A	



The Polymax 5 provides enough space for 1 large articulator, 3 brass flasks with clamps or 4 castdon flasks

Polymax 3		up to 95 °C	
red	230 V / 50–60 Hz	D3422	
red	115 V / 50–60 Hz	D3422A	
silver	230 V / 50–60 Hz	D34221	
silver	115 V / 50–60 Hz	D34221A	

	4	•			$\stackrel{}{\longleftrightarrow}$
Polymax 1 (95 °C)		450 W	3–5.2 bar (adjustable)	10 kg	230 x 290 x 300 mm
Polymax 1 (120 °C)	230 V / 50–60 Hz	450 W	3-4.2 bar (adjustable)	10 kg	230 x 290 x 300 mm
Polymax 3	115 V / 50–60 Hz	900 W	3–5.2 bar (adjustable)	13.5 kg	450 x 290 x 330 mm
Polymax 5		900 W	3–6 bar (adjustable)	15.6 kg	310 x 340 x 400 mm

$\mathbf{\Phi}$

Inner dimensions pressure pot:

Ø 160 mm Height 110 mm Volume 2.2 l



Inner dimensions pressure pot:

Ø 160 mm Height 300 mm Volume 6.0 l



Resin pouring technique Wax boil-out units

Resin pouring technique Accessories

Labormat series

Sturdy boil-out units from stainless steel for up to 6 resp. 12 flasks. Steplessly adjustable temperature from 65–95 °C and manual regulation of spray times of up to 6 minutes. A user-friendly moment switch and an integrated handspraygun add to convenient operation. For easy every-day work the unit has a 24-hour timer. The Labormat can equally be used for the curing of hot polymerizing materials.

Labormat TH

- Content:
- Cleaning brush
- Flask supporting plate

230 V / 50 Hz

D3603N



Labormat SD

Content:

- Cleaning brush
- Flask supporting plate
- Water run-off / supply hose
- Castors
- Collection tank for waste water

230 V / 50 Hz

D3601



Always make sure that there is enough water in the Labormat. A too low water level leads to the activation of the safety switch.



	•	X			$\stackrel{}{\longleftrightarrow}$
Labormat TH	3.2 kW at 230 V / 50 Hz	65–95°C	15 l	38 kg	440 x 580 x 360 mm
Labormat SD	3.1 kW at 230 V / 50 Hz	65–95°C	50 l	75 kg	850x630x600 mm

Flask basket

Made of stainless steel, with plastic handle for 3 flasks. You need 2 baskets for the Labormat TH and 4 baskets for the Labormat SD.

Flask basket

Filter mats (18 x 60 cm)

For collecting wax residues, plaster residues etc. when boiling-out in Labormat units. You need one filter mat for the Labormat TH, two mats for the Labormat SD.

10 pieces

Unisol E

Descaling agent for the cleaning of frequently used boiling-out units.

2.5 kg bucket

Unisol W

Concentrated wax-solving additive for a quicker and more intense cleaning of models in wax boiling-out units (e. g. Labormat).

2 x 1 l bottle 5 l canister

Base

On castors for Labormat TH with dimensions (HxWxD) 435x590x370 mm.

Base









Light polymerisation Materials

Let there be light

Equipment and materials for light polymerisation

Light-curing materials are among the most common helpers in the dental daily laboratory use. Without these and the appropriate equipment many elementary work steps cannot be adequately performed. This is why we constantly research innovations in the field of light curing. The replacement of light tubes by LEDs in our units is a shining example for simplified, more economical work processes.

Plaquit

Light-curing, one-component benzoyl peroxide-free lacquer with several application possibilities. For the coating of resin build-ups on splints, resin parts on full and partial dentures as well as temporaries in the crown and bridge technique. Polymerisation in the EyeVolution[®].

20 ml bottle	D38124
50 ml bottle	D38123



NanoVarnish

Transparent, light-curing one-component laquer. Thanks to specially structured nano-particles the material creates an ideal surface energy minimising the adhesion of germs. Extremely thin layers and optimum flowing characteristics facilitate the application. Curing in light polymerisation units with the spectral area 350-500 nm, like e.g. EyeVolution®.

20 ml bottle incl. 10 MicroBrushes

D38900

NanoVarnish Especially suitable for Тір functional areas like implants, bars, attachments from the pro _



NanoVarnish vs. conventional lacquers



Cenit L

Light-curing PMMA resin with facilitated application: Dosing aid enables applications of up to 2 mm layer thickness. For the production of space maintainers of medical and bleaching splints. Block out of undercuts or mounting of broken teeth or to fill up air bubbles in the working models. Polymerises in each standard laboratory light unit with a spectral range of 300–500 nm, e.g. EyeVolution[®].

4 application syringes (2.5 g each) incl. 8 dosing tips

Lightplast Base Plates

Pre-formed, light curing upper jaw (UJ) resin base plates for the production of custom-made impression trays, bite patterns and resin bases for the tooth set-up for complete dentures. Polymerisation in all standard laboratory units with a spectral range of 300-500 nm, e.g. EyeVolution®.

50 pieces, pink 50 pieces, nature

Did you know

Lightplast Base Plates Our 3D alternative: FotoDent[®] tray 2.



Individual trays, the classical application for Lightplast Base Plates







With Cenit L, a layer thickness of up to 2 mm can be cured











Light polymerisation Units

Light polymerisation Units

EyeVolution® series

The EyeVolution[®] light-curing units base upon the latest developments in the field of LED technique. They distinguish through their simple and intuitive handling, and due to their compact dimensions they are most suitable also for individual work stations. Most modern LED components generate exact wavelengths with extremely high light performances, thus providing for an optimum polymerisation with shortened curing times and minimum thermal strain on the material. Due to an almost unlimited durability of the LEDs the exchange of the light sources during maintenance is made redundant.

High hardness efficiency

Quiet operation

Low thermal stress

Effective deep polymerisation

 \oplus

 \oplus

 \oplus

EyeVolution[®]

Light polymerisation unit especially developed for all commercially available base materials like build-up resins of thermoformed splints, individual tray material, sealing lacquers and blockout resins. The built-in LEDs reach exactly the wavelength ranges that are needed for the activation of resins.



MultiSpot[®]

Polymerisation handset for lightcuring laboratory materials such as composites, splint materials, adhesives and bonding materials. Simultaneous use of UV and blue light LED with integrated performance control for all common wavelengths. A real relief in everyday laboratory work due to handy and wireless appliance.





"Third hand" in dental labs: MultiSpot®

	4	•
EyeVolution [®] MAX	100–240 V / 50–60 Hz, 0.7 A	max. 30 W
EyeVolution®	100–240 V / 50–60 Hz, 0.7 A	max. 18 W
MultiSpot®	100–240 V	2.73 W

EyeVolution[®] MAX

Did you

know

Light polymerisation unit especially developed for all commonly available composites like in- and onlays or vestibular and occlusal veneers. Rotary reflective plate with 180° automatic swivelling and optimised LED-positioning with 6 bluelight and 1 UV light LEDs. Very short polymerisation time, e.g. thicknesses of up to 2 mm in three minutes.

Different photo-initiators used in medical technology need different light sources. The light sources of

the EyeVolution[®] series are placed according to the

fields of application of these units.





Positioning of the light source according to application





	Â	\longleftrightarrow
385–390 (UV light) and 465–470 nm (bluelight)	1.8 kg	205 x 205 x 255 mm
385–390 (UV light) and 465–470 nm (bluelight)	1.5 kg	205 x 205 x 255 mm
385 (UV light) and 465 nm (bluelight)	140 g	140 x 30 x 30 mm

Laboratory silicones Duplication silicones

Laboratory silicones Duplication silicones

Dublisil[®]

Addition-curing vinyl polysiloxanes for all application fields in dental duplication technique, with final hardness 15/20/22/30 Shore A. Dublisil® 15 and 20 are also available as speed versions which allow deflasking after only 10 minutes. Due to the used platinum hardener the forms are virtually shrinkage-free and show an outstanding storage stability. Excellent mechanical characteristics provide for a very smooth deflasking. Negative forms can be filled several times without losing any precision. The surface of the duplication model is smooth without any additional treatment.

- \oplus High form constancy
- \oplus Long-term stability
- \oplus Easy to deflask, without loss of accuracy
- \oplus Smooth surface without additional treatment

Dublisil[®] 15 speed

Highspeed duplicating silicone for all kinds of duplications with a final hardness of 15 Shore A. Very easy to deflask, with highly flexible final consistency.

2 x 850 ml bottle	D4815
2 x 5.1 l canister	D4816
2 x 21.2 l canister	D4817

Dublisil[®] 20 speed

Universal, ultrafast duplicating silicone for all kinds of duplications with a final hardness of 20 Shore A. Especially suitable for stable duplicating forms e.g. attachment and milling techniques through the medium final hardness.

2 x 850 ml bottle	D4515
2 x 5.1 l canister	D4516
2 x 21.2 l canister	D4517

Dublisil[®] 15

Thinflowing standard material with a final hardness of 15 Shore A for the complete duplication technique. Very easy to deflask with highly flexible final consistency.

2 x 850 ml bottle	D4801
2 x 5.1 l canister	D4806
2 x 21.2 l canister	D4807



٠

Dublisi

.

Dublisil[®] 20

Universal duplicating silicone for all kinds of duplications with a final hardness of 20 Shore A. Especially suitable for stable duplicating forms, e. g. attachment and milling techniques through the medium final hardness.

2 x 850 ml bottle	
2 x 5.1 l canister	
2 x 21.2 l canister	

Dublisil[®] 22 plus

Duplication silicone with a final hardness of 22 Shore A, with a high detail accuracy and high-grade mechanical characteristics which guarantee a problemfree deflasking due to excellent tensile strength and break and tear resistance.

2 x 850 ml bottle	
2 x 5.1 l canister	
2 x 21.2 l canister	

Dublisil[®] 30

Duplication silicone with a high final hardness of 30 Shore A which is characterised by its high tear resistance. Ideally applicable for highly precise embedding material e.g. telescope or attachment works. Furthermore it can be used also in flaskless duplicating technique.

2 x 850 ml bottle	
2 x 5.1 l canister	
2 x 21.2 l canister	



Dublisil[®] speed versions

Are particularly suitable for the processing in the Dosper evo If mixed by hand, due to the short processing time, there will only be enough time to fill one flask

						A
Dublisil [®] 15 speed	3:00 min.	10:00 min.*	> 99.8 %	15 Shore A	turquoise	medium – type 2
Dublisil [®] 20 speed	3:00 min.	10:00 min.*	> 99.8 %	20 Shore A	blackberry	medium – type 2
Dublisil [®] 15	6:00 min.	25:00 min.*	> 99.8 %	15 Shore A	green	medium – type 2
Dublisil [®] 20	6:00 min.	25:00 min.*	> 99.8 %	20 Shore A	pink	medium – type 2
Dublisil [®] 22 plus	5:00 min.	25:00 min.*	> 99.6 %	22 Shore A	red	medium – type 2
Dublisil® 30	6:00 min.	25:00 min.*	> 99.8 %	30 Shore A	purple	medium – type 2



*incl. processing time

Laboratory silicones Modelling silicones

Laboratory silicones Other laboratory silicones

Laborsil pro

Kneadable lab putty with a final hardness of 70 or 90 Shore A, made of addition-curing silicone. The smooth and non-sticky initial consistency enables an easy and clean mixing in a 1:1 ratio. Laborsil pro is shrinkage-free and creates a highly precise impression and exact reproduction of details. Furthermore the material is heat resistant to up to 200 °C.

Laborsil pro 70

Kneadable laboratory putty with a medium final hardness made of additioncuring silicone. Especially suitable for matrix or control key. Smooth, non sticky initial constistency, mixing in ratio of 1:1. Shrinkfree results with exact reproduction of details.

2 x 450 ml	(approx. 2 x 750 g)	D38390
2 x 1.2 l	(approx. 2 x 1.9 kg)	D38391
2 x 3.45 l	(approx. 2 x 5 kg)	D38392



Extremely hard, kneadable laboratory putty with smooth single components for easy kneading. Especially suitable for model material for repairs, enlargements and bite fixations. Smooth, non-sticky initial consistency, mixable in a ratio of 1:1. Shrink-free results with exact reproduction of details.

2 x 450 ml	(approx. 2 x 750 g)	D38393
2 x 1.2 l	(approx. 2 x 1.9 kg)	D38394
2 x 3.45 l	(approx. 2 x 5 kg)	D38395



Very precise results with exact reproduction of details: Laborsil pro

Laborsil speed with color indicator

Versatile matrix material with color indicator. The color gradient from blue to white provides a visual control of the setting process.

2 x 50 ml double cartridges with 12 mixing tips

8 x 50 ml double cartridges

Laborsil clear

Highly transparent silicone for the fabrication of precise pre-walls with a final hardness of 70 Shore A. The matrix material is suitable for light-curing anterior and posterior composites. Thanks to its transparency, light penetrates unhindered, resulting in deep polymerization of the composite. For partially prosthetic restorations, it enables easy visual control.

2 x 50 ml double cartridges with 12 mixing tips

8 x 50 ml double cartridges





	Q		\bigcirc			图
Laborsil pro 70	0:30 min.	1:15 min.	6:00 min.	70 Shore A	grey	kneadable – type 0
Laborsil pro 90	0:30 min.	1:15 min.	6:00 min.	90 Shore A	grey	kneadable – type 0

Silfix

Precise embedding material on the basis of addition-curing silicone with perfect flow characteristics for the production of full dentures. Especially developed for the denture pressing procedure. Guarantees a safe fitting of teeth in the counter part thanks to the final hardness of over 70 Shore A.

2 x 200 ml dosing bottles with mixing beaker

4 x 50 ml double cartridges

	Q	\mathbf{X}	\bigcirc			X
Laborsil speed with color indicator	-	0:30 min.	2:00 min.	75 Shore A	blue to white	medium – type 2
Laborsil clear	-	0:30 min.	1:30 min.	70 Shore A	transparent	medium – type 2
Silfix	0:30 min.	2:00 min.	7:00 min.	74 Shore A	pink	low – type 3









Production of a matrix with Laborsil speed





Laboratory silicones Other laboratory silicones

Laboratory silicones Other laboratory silicones

GumQuick

Addition-curing silicone for the production of flexible gingiva masks in three versions with color adapted to natural gingiva. Exact and detailed working thanks to optimum flowing characteristics. Easy finishing with scalpel or rotating instruments. Shrinkage-free and storage stable.

GumQuick

Gingiva mask material especially developed for the C&B technique with very good tear-resistance and elongation values. Optimum flow properties for easy and safe handling.

4 x 50 ml double cartridges

D504888

GumQuick Set

The insulating material DuoSep included in the set also allows direct mask production in the impression.

Content:

- 2 x 50 ml double cartridge GumQuick with 12 Mixing tips
- 1 x 10 ml bottle DuoSep

GumQuick set

D504842

Production of a gingiva mask with matrix on the model







GumQuick

GumQuick scan Set

Addition-curing silicone for the manufacturing of flexible and scannable gingiva masks in the CAD/CAM technique. Due to the special formulation optimal scannability or readability is achieved in commercially available dental scanners. The enclosed insulating agent DuoSep also allows a direct mask production in the impression.

Content:

- 2 x 50 ml double cartridge GumQuick scan with 12 Mixing tips
- 1 x 10 ml bottle DuoSep

GumQuick scan set

D504890





Developed for the digital process: GumQuick scan

GumQuick implant

Gingiva mask material especially developed for implant works. High final hardness and low flexibility for safe and exact secondary constructions. The polymerised gingiva mask shows an abrasion resistant surface.

4 x 50 ml double cartridges

GumQuick implant Set

The enclosed insulating agent DuoSep also allows a direct production in the impression.

Content:

- 2 x 50 ml double cartridge GumQuick implant with 12 Mixing tips
- 1 x 10 ml bottle DuoSep

GumQuick implant set

Production of gingiva mask in the impression with GumQuick implant





	\mathbf{X}				图
GumQuick	1:30 min.	6:30 min.	4.5 MPa	60 Shore A	low – type 3
GumQuick scan	1:30 min.	6:30 min.	4.5 MPa	65 Shore A	low – type 3
GumQuick implant	1:30 min.	6:30 min.	3.9 MPa	75 Shore A	low – type 3







D504892



Laboratory silicones Other laboratory silicones



Indirect denture relining with MegaBase®

MegaBase[®] silicone

Permanently soft-remaining relining material on the basis of addition-curing polysiloxanes. The auto-polymerising silicone is suitable for the direct (chair-side) and for the indirect production method. The scope is very diverse and includes e. g. the relief of pressure points, protective cover after implantation or the improvement of the suction effect.

2 x 50 ml double cartridges

D5038223NR

MegaBase[®] Starter Kit

Content:

- 1 x 50 ml double cartridge MegaBase[®] silicone with 6 mixing tips
- 1 x 50 ml double cartridge MegaBase® 2K lacquer with 6 mixing tips
- 1 x 10 ml bottle MegaBase[®] Adhesive
- 3 x grinding tools
- 1 x notepad with care instructions

MegaBase® Starter Kit

D5038223

MegaBase[®] 2K lacquer

Colorless, transparent, self-curing 2-component silicone lacquer for the coating of soft relining of addition-curing silicones. Very easy to use. The result: transparent-glossy and sealed surfaces.

2 x 50 ml double cartridges, 12 mixing tips D38233

MegaBase[®] Adhesive

For adhesion between the addition-curing silicone and acrylate.

10 ml bottle with brush insert

D5038220NA

	\mathbf{X}					困	
MegaBase [®] silicone	2:20 min.	20:00 min.	99.9 %	4.9 MPa	33 Shore A	medium – type 2	pink transparent
MegaBase® 2K Lack	2:15 min.	20:00 min.	-	-	25 Shore A	low – type 3	clear transparent

Down MegaBase* 2K Lack



Glossy sealing of the silicone denture relining



Odontosil

Clear-transparent, addition-curing silicone with a final hardness of 50 or 60 Shore A for the production of orthodontic elasto-positioners. The curing at room temperature permits, besides the indirect flask method, also the direct application with the double cartridge directly onto the set up model. Furthermore slight tooth corrections can be effected without any problems.

D38234

Odontosil 50

2 x 50 ml double cartridges, 12 mixing tips	D5038150
8 x 50 ml double cartridges	D5038229
Odontosil 60	
	DE000460

2 x 50 ml double cartridges, 12 mixing tips	D5038160
8 x 50 ml double cartridges	D5038227

Odontosil 2K lacquer

Clear-transparent 2K silicone lacquer developed for coating Odontosil positioners made of addition-curing silicones. The result: transparent-glossy and sealed surfaces.

2 x 50 ml double cartridges, 12 mixing tips

Production of a silicone positioner with the Odontosil materials





	\mathbf{X}			
Odontosil 50	5:00 min.	30:00 min.	> 99.5 %	> 5
Odontosil 60	5:00 min.	30:00 min.	> 99.5 %	> 5





Laboratory silicones Mixing-/Dosing unit

Laboratory silicones Accessories

Dosper evo

Automatic mixing and dosing unit for thin-flowing, addition-curing duplication silicones. Due to its innovative adjustable flow it is suitable for all duplication silicones with a mixing ratio 1:1. The result: no unwanted emptying of the reservoirs and mixing of components. The unit is constantly ready for use and very economical and is profitable also for smaller labs.

Content:

- 5 mixing tips, pink
- 2 bottle adaptors

red	230 V / 50–60 Hz	D5050
silver	230 V / 50–60 Hz	D50501
red	115 V / 50–60 Hz	D5050A
silver	115 V / 50–60 Hz	D50501A

- \oplus **Reduced formation of shades** thanks to lighting of the working area
- \oplus Shortened and safe dispensing process
- \oplus Improvement of the material quality values
- \oplus Low thermal strain _____



Material reservoirs for Dosper evo

Transparent container made of sturdy plastic for duplication silicone, equipped with quick coupling for easy installation. Filling volume approx. 1.7 | per reservoir.

2 pieces, Dosper evo

Connection hoses for Dosper evo

For the safe connection between small and large Dublisil® canisters and the Dosper units.

2 pieces, Connection hoses for canister (5.1 l)	Dosper evo	265 mm
2 pieces, Connection hoses for canister (21.2 l)	Dosper evo	475 mm

Storage rack for Dosper units

For storage of small (5.1 l) or large (21.2 l) Dublisil[®] containers above the Dosper.

small, 371 x 295 x 214 mm (H x W x D) big, 665 x 533 x 322 mm (H x W x D)

Ip pro

Dosper evo When connecting the original containers please pierce a small hole into them in order to avoid different filling volumes. from the ... or simply use the material reservoirs!

	4	•	Â	\Leftrightarrow
Dosper evo	230 V / 115 V	250 W	12 kg	320x225x370 mm

Clean duplication process with Dosper evo







D5022









Laboratory silicones Accessories

- ↔ Safe fitting of the negative due to retention part - ·
- + Fixture with conical cuff
- Top, cuff and base part are made of durable Makrolon plastic



Height adjustable flask

Dublisil[®] flask

Height adjustable flask for the economic silicone duplication technique for models with or without base. Highly economical through variably adjustable interior part and therefore best adjustment to the corresponding model situation.

Dublisil flask, incl. foam spacer

D3805







Economic duplications thanks to Dublisil® flask

Foam spacer

DuoSep

Insulation agent between addition-curing silicone and polyether materials.

10 ml bottle with brush insert

Mixing tips		
Mixing ratio Inner-Ø Color	1:1 5.4 mm pink	
Dosper evo Silfix		
40 pieces	D4970X1	
100 pieces	D49701X1	1



Mixing ratio Inner-Ø Color	1:1 5.4 mm transparent	A MULTING AND A
Dosper M4		
40 pieces	D4960	- 8
100 pieces	D49601	1

DS 50 Injector 1:1

For applications of dental laboratory silicones from S 50 double cartridges.



DS 50 Injector 1:1



Foam spacer

For Dublisil® flasks, encloses the model base for more economical duplications.

25 pieces

D38076





D4306

Mixing ratio Inner-Ø Color	1:1 6.5 mm green	
Regofix Laborsil clear Laborsil speed MegaBase® Odontosil		
40 pieces	D4970X2	
100 pieces	D49701X2	and the second

Mixing ratio Inner-Ø Color GumQuick GumQuick scan GumQuick implant	1:1 3.2 mm light blue	
MegaBase [®] 2K Lack		
Odontosil 2K Lack		
40 pieces	D4970X3	
100 pieces	D49701X3	

More products and accessories



Modralit[®] 3K Set

Castable model stump material based on polyurethane for the production of precision models. Due to its edge strength, Modralit® 3K is excellently suited for the precious metal and base metal technology and is particularly suitable for step and partial crown preparations. The set is enough for about 10 complete tooth rims, which can then be coated with commercial painting systems.

Content:

- 2 x 100 ml bottles base
- 1 x 100 ml bottle hardener
- 1 x 400 g tub filler material

Modralit[®] 3K Set

The precise alternative to the plaster model Modralit® 3K

Refill packs for Modralit® 3K Sets

100 ml	Base	D39261
100 ml	Hardener	D39262
400 g	Filler	D39263



Separator

Agent for the separation of non-compatible materials like Modralit® 3K from polyether impressions, A-silicones from C-silicones and identic materials, for example A-silicones from A-silicones.

50 ml bottle with brush insert	D4305
--------------------------------	-------

GipsEx

Chemical plaster solvent for use e.g. in the resin technique. GipsEx is especially effective and consequently time-saving when cleaning resin dentures, mixing beakers etc. Suitable for use in ultra-sonic units.

2 x 1 l bottle	D4395
1 x 5 l canister	D4396



	\square	3 M K	
Modralit [®] 3K	~ 2:00 min	~ 0.07 %	ivory

D3926

More products and accessories

UltraTrimm

Flexible grinding wheels for the rough to fine elaboration of EVA thermoforming blanks for sports mouthguards (e. g. Drufosoft®), soft-remaining relining silicone (e. g. MegaBase®), positioner silicone (e. g. Odontosil) as well as hard and soft/hard thermoforming blanks at a maximum of 15.000 revolutions / minute.

UltraTrimm Set

Set with several grinding wheels in different selectable hardnesses. Each set additionally contains 4 support discs as well as 1 mandrel.

UltraTrimm set light, 12 grinding wheels UltraTrimm set medium, 12 grinding wheels UltraTrimm set heavy, 6 grinding wheels

UltraTrimm economy pack

Storage pack with 80 resp. 40 grinding wheels in different selectable hardnesses.

UltraTrimm Set light, 80 grinding wheels	
UltraTrimm Set medium, 80 grinding wheels	
UltraTrimm Set heavy, 40 grinding wheels	

Grinding cap holders and grinding caps

Rotating, economic and interchangeable corundum grinding caps with a grain of 150 μ m for the elaboration of EVA thermoforming blanks for sports mouthguards (e. g. Drufosoft®), soft-remaining relining silicone (e. g. MegaBase®) as well as positioner silicone (e. g. Odontosil) at a maximum of 20,000 revolutions / minute.





UltraTrimm light (Ø 28 mm / thickness 7 mm)



UltraTrimm medium (Ø 28 mm / thickness 7 mm)



UltraTrimm heavy (Ø 28 mm / thickness 14 mm)

Mandrel and support disc

D43753	
D43752	
D43751	

D43763
D43762
D43761

	5 x grinding caps	
compatible with $ i$	round; Ø 8.5 mm D38230S1	
compatible with 🕨	pointed; Ø 6.5 mm D4461	
compatible with 🕨	round; Ø11.5 mm D3823052	
compatible with 🕨	pointed; Ø 8.5 mm D4462	
compatible with 🕨	round; Ø 14.5 mm D3823053	

More products and accessories

More products and accessories

Mixing tips	
Mixing ratio	1:1
Inner-Ø	5.4 mm
Color	pink
Dosper evo	
StoneBite®	
StoneBite [®] scan	
Silfix	
40 pieces	D4970X1
100 pieces	D49701X1

Mixing ratio Inner-Ø Color Dynax® light	1:1 4.2 mm yellow
40 pieces	D4970X5
100 pieces	D49701X5

Mixing ratio	1:1
Inner-Ø	3.2 mm
Color	light blue
GumQuick	
GumQuick scan	
GumQuick implant	
MegaBase [®] 2K Lack	
Odontosil 2K Lack	
10	D 4070V2
40 pieces	D4970X3
100 pieces	D49701X3

Mixing ratio Inner-Ø Color	1:1 6.5 mm green
Dynax® clear Dynax® heavy body Dynax® mono Regofix Laborsil clear Laborsil speed Megabase® Odontosil	
40 pieces	D4970X2
100 pieces	D49701X2
Mixing ratio Inner-Ø Color for double-chamber syring	1:1 2.5 mm brown Jes
40 pieces	D4970X6

100 pieces

	The second
970X2	
970X2	A COLOR
l 5 mm	Λ
own	

D49701X6

Mixing ratio Inner-Ø	1:1 5.4 mm
Color	transparent
Dosper M4	
40 pieces	D4960
100 pieces	D49601

Mixing ratio Inner-Ø Color	5:1 6.0 mm yellow	
Zerosil® soft Dynax® heavy body Dynax® mono Dynax® putty		
15 pieces	D4982	
50 pieces	D4981	

Tips



Bayonet-ring

Attachment for the use of 380 ml cartridges.

Bayonet-ring, yellow D4980





The colors of the closure caps on the double cartridges indicate the mixing tips that belong to the respective product.

DS 50 Injector 1:1

For applications of dental laboratory silicones from S 50 double cartridges.

Mixing ratio	1:1	
DS 50 Injector 1:1	D5007	

DS 50 Injector 4:1

For the application of C&B materials from S 50 double cartridges.		
Mixing ratio	4:1	
DS 50 Injector 4:1	D5008	



Application tips

For mixing tips for intra-oral application. Flattened form for bite registration materials.

transparent (e.g. for StoneBite®)

40 pieces, transparent

D49603



Application tips

Top pieces for dosing syringes.

Inner-Ø	0.9 mm
black (e. g. for Cenit L)	
15 pieces, black	D2308



Index

# 2D Drotostor inlove	20	F	10	N Nana) (amish
3D Protector inlays	29	FEP blank Fillin	19 35	NanoVarnish
Α		Filter mats	45	0
Application tips – black	65	Finishing Liquid	35	Odontosil 2K lacquer
Application tips – transparent	12,65	Fixtemp C&B 4:1	13	Odontosil 50
application application application	12,00	Flask basket	45	Odontosil 60
в		Foam spacer	60	
Bandelin RK 100 H	20	Foil scissors	35	Р
Base	45	FotoClean	20	PCU LED N ₂
Bayonet-ring	12,65	FotoDent [®] biobased model	17	PCU vario
Beaker	20	FotoDent [®] cast	16	Piercing cutter
BioBleach® hart	24	FotoDent [®] denture	16	Phrozen Sonic XL 4K
BioBleach [®] soft	24	FotoDent [®] gingiva	17	Plaquit
Biolon	24	FotoDent [®] guide	16	Polymax 1 (95 °C / 120 °C)
Biolon for Vacfomat V9 2.0	25	FotoDent [®] IBT	16	Polymax 3
Building platform	19	FotoDent [®] model2	17	Polymax 5
		FotoDent [®] model3	17	Pressure polymerisation in
C		FotoDent [®] splint	16	Protector adhesive
Canal piercing instrument	41	FotoDent [®] TCB	16	
Castdon flask	41	FotoDent [®] tray2	16	R
Castdon Monomer	41	FotoWash	19	Regofix opak
Castdon Polymer	40			Regofix transparent
Castdon Starter Kit	40	G		Resin vat
Cenit L	47	Gelon	41	
Connection hoses		GipsEx	62	S
 – for Dosper M3-M5/evo 	59	Granules	34	Sample selection
		Grinding caps	63	 thermoforming blanks
D		Grinding cap holders	63	Separator
Dosing aids	41	GumQuick	54	Silicone grease
Dosper evo	58	GumQuick implant	55	Silfix
Dreve Mouthguard Label	30	GumQuick scan Set	54	Siliform
Dreve Mouthguard Box	30			Stainless steel perforated
Dreve Mouthguard professiona		I		StoneBite®
Starter Set	29	Insert basket made of stainles		StoneBite [®] scan
Drufolen H	25	Isolat film	41	Storage racks
Drufolen W	25			Square cutter
Drufomat scan	32	K		_
Drufosmart	33	Kombiplast	27	T
Drufosmart scan	33			Tips – transparent
Drufoplast	27	L		Tips – yellow
Drufoplast incl. tray handle	27	Labormat SD	44	
Drufosoft®	26	Labormat TH	44	U
Drufosoft [®] pro	27	Laborsil clear	53	UltraTrimm economy pack
DS 50 Injector 1:1	12, 61, 65	Laborsil pro 70	52	UltraTrimm Set
DS 50 Injector 4:1	13, 65	Laborsil pro 90	52	Unisol E
Dublisil [®] 15	50	Laborsil speed	53	Unisol W
Dublisil® 15 speed	50	Lightplast base plates	47	
Dublisil® 20	51			V
Dublisil® 20 speed	50	M		Vacfomat V9 2.0
Dublisil® 22 plus	51	Material reservoirs		Vat storage cabinet
Dublisil [®] 30	51	for Dosper M3–M5/evo	59	
Dublisil® flask	60	MaxiFresh™ cleaning tablets		W
DuoSep	61	MegaBase®	56	Workout set
Dynax [®] clear	9	MegaBase [®] 2K lacquer	56	X
Dynax [®] heavy body	8	MegaBase® Adhesive	56	X
Dynax® light	8	MegaBase® Starter Kit	56	X-ray opaque stripes
Dynax [®] mono	9	Mixing tips – 4:1, light blue	13,64	7
Dynax [®] putty	8	Mixing tips – 5:1, yellow	12, 64	Z Zavasil® soft
-		Mixing tips – brown	64	Zerosil® soft
E		Mixing tips – yellow	12,64	Zerosil [®] soft
EyeVolution®	49	Mixing tips – green	12, 61, 64	 – with color indicator
EyeVolution® MAX	48	Mixing tips – light blue	61, 64	
		Mixing tips – pink	12, 61, 64	
		Mixing tips – transparent	61, 64	
		Modralit [®] 3K Set	62	
		Modralit [®] 3K Set		
		– Refill packs MultiSpot®	62 49	

0216-DU20230216-D77036

46

57 57 57

21

11

11 19

12, 65 12, 65

31

19

34

30

10

10

Medical devices

Our medical devices are registered in many countries. Please contact us for further information. We cannot be held responsible for false statements in this catalogue and their consequences. Delivery of our products is effected according to our general terms and conditions. Technical changes reserved. We do not take any responsibility for the authenticity of colors in this catalogue.



Dreve Dentamid GmbH Max-Planck-Straße 31 59423 Unna/Germany

Phone	+49 2303 8807-37
Fax	+49 2303 8807-55
Email	dentamid@dreve.de
Internet	dentamid.dreve.de

Application technology

Phone +49 2303 8807-3404

Sales Germany

Phone	+49 2303 8807-40
Fax	+49 2303 8807-55

Sales Export

Phone	+49 2303 8807-37
Fax	+49 2303 8807-55

Design & product photos

Dreve ProDiMed GmbH Advertising department Morgenstraße 62c 59423 Unna/Germany



Dreve Dentamid GmbH

Max-Planck-Straße 31 • 59423 Unna/Germany Phone +49 2303 8807-37 • Fax +49 2303 8807-55 dentamid@dreve.de • dentamid.dreve.de